



### Features:

- 1/3" Sony Super HAD CCD
- Compact design
- Minimum Illumination: 0.1Lux/F1.2 (0 LUX with IR)
- Day/night auto switch
- Auto white balance, auto gain control, electronic shutter control and backlight compensation
- Weather Proof: IP66 standard

1/3" CCD

0.1 Lux

Day & Night

AGC

Backlight  
Compensation

IP66

### Specification:

Camera	Image Sensor:	1/3" SONY Super HAD CCD
	Effective Pixels:	PAL:500(H)x582(V); NTSC:510(H)x492(V)
	Horizontal Resolution:	420TVL
	Signal System:	PAL/NTSC
	Min. Illumination:	0.1Lux @ F1.2 (0 LUX with IR)
	Electronic Shutter:	1/50(1/60)s to 1/100,000s
	Synchronization:	Internal Synchronization
	Video Output:	1Vp-p Composite Output (75Ω/BNC)
	S/N Ratio:	More than 48dB
	BLC:	ON
Lens	Lens:	6mm (3.6mm, 2.8mm optional)
General	Power Supply:	DC12V±10%
	Power Consumption:	3W MAX
	Working Temperature:	-10°C~60°C(14°F~140°F)
	Weather Proof:	IP66
	IR Range:	Approx 10 to 20 meters (30~60ft)
	Dimension:	Φ89.5mm×60mm (Φ3.52"×2.36")
	Weight:	400g (0.88lbs)

Specifications are subject to change without notice.

